



TESCO Service Pedestal Model 28-102 Low Profile

TESCOFLEX Low-profile, underground service distribution and control pedestals have become the standard for state, county, municipal, highway, and public works departments.

TESCOFLEX Pedestals are constructed of the highest grade of material, whether it's our standard anodized aluminum, optional stainless steel, or hot dipped galvanized steel. Our coatings will withstand the most stringent testing applied to outdoor enclosures and meet or exceed state specifications.

Our wide range of sizes and options allows for maximum utilization of your space.

TESCOFLEX Service pedestals have been widely accepted by the Utility Industry and are in use today for many applications such as street lighting, park lighting, tennis court lighting, irrigation and pump stations.



FEATURES:

- Small, low profile, and attractive with no exposed fasteners.
- Available both unmetered and metered up to 200 amps.
- Fabricated from anodized aluminum.
- Also available in stainless steel or hot dipped galvanized sheet steel.
- UL approved copper cable busing and control wiring.
- Oven baked polyurethane powder coated finish for lasting durability.
- Each cabinet is factory wired and tested before shipment.
- Vandal proof doors with hasp, stress rated to 2,000 lbs.
- Durable All-Welded Construction
- Meets EUSERC Requirements

Tesco Controls Inc.
3409 52nd Ave.
Sacramento, CA, 95823

Phone: 916-395-8800
Fax: 916-429-2817

<http://www.tescocontrols.com>

(Continued on page 2)

Tesco Service Pedestal

Model 28-102

(Continued from page 1)

Cabinet & Power Specifications for Model 28-102 Type IIICF Double

Cabinet Fabrication:

- Maximum external dimensions: 24.5" Wide x 48.1" High x 17." Deep. Minimum opening to control section 21.5"W x 35.75"H.
- There shall be no plug-in circuit breakers.
- Cabinet shall be fabricated from 1/8" anodized aluminum, or 304D stainless steel.
- Internal parts shall be fabricated from 14 gauge cold rolled steel.
- Cabinet shall be all welded construction with welding materials specifically designed for the material used.
- All fasteners, latches, and hardware shall be of stainless steel and all hinges shall be continuous piano style.

Control Compartment:

- All components shall match existing components in use for maintenance of spare parts and known reliability.
- There shall be no exposed nuts, bolts, screws, rivets, or other fasteners on the exterior.
- The cabinet shall be completely prewired in the factory.
- Cabinet doors shall have 2,000 lb. stress rated hasp, welded to the cabinet and door.
- Cabinet shall have an enclosed pull section.
- Cabinets shall have fully framed side hinged outer doors and closed cell neoprene flange compressed gaskets.
- Base mounting detail shall be identical to existing cabinets for emergency replacement.

Deadfront Safety Door:

- Distribution and control panel shall have a hinged deadfront panel with ¼ turn latch and knurled knobs.
- All control wiring is 19 strand #14 AWG THHN. + All terminals shall be permanently labeled.



Tesco Controls Inc.
3409 52nd Ave.
Sacramento, CA, 95823

Phone: 916-395-8800
Fax: 916-429-2817

<http://www.tescocontrols.com>

(Continued on page 3)



Tesco Service Pedestal

Model 28-102

(Continued from page 2)

Nameplates and Drawings:

- The function of all circuit breakers, switches and other components as required shall be identified by laminated engraved plastic nameplates fastened with minimum of two 1/4", #4-40 machine screws.
- Wiring schematics shall be Computer Aided Drafting and include all external equipment.
- Deadfront shall be hinged on the same side as the front door and shall open a minimum of 120°.

Power Distribution Panel:

- Main breakers shall be 1 pole, 2 pole, 3 pole, or 4 pole.
- Provide separate metered main, lighting main & disconnects as required.
- As built factory drawings shall be enclosed in clear plastic and held inside the outer door by welded hooks.

Model 28-102 Type IIICF Options

- Double 100 or 200 Amp Meter Sockets
- Test By-pass
- Maximum Forty (40) - 1" Poles (Includes Main Circuit Breakers)
- Metered and Unmetered
- Copper Interior P.E. Socket
- Lighting Contactors
- Flashing Beacon Controls
- Time Clocks
- Time Delays
- Transformers
- Test Switches

Tesco Controls Inc.
3409 52nd Ave.
Sacramento, CA, 95823

Phone: 916-395-8800
Fax: 916-429-2817

<http://www.tescocontrols.com>